

K-Links – Link Indexing Script

K-LINKS INSTALLATION MANUAL

K-Links Installation Manual Contents

SYSTEM REQUIREMENTS	3
1. DOWNLOADING K-LINKS.....	4
STEP 1: LOGIN TO YOUR MEMBER ACCOUNT	4
STEP 2: ENTER DOMAIN NAME.....	5
STEP 3: DOWNLOAD K-LINKS SCRIPT	6
STEP 4: SAVE K-LINKS SCRIPT ON YOUR COMPUTER	7
STEP 5: UNZIP FILES FROM K-LINKS PACKAGE	9
2. CREATING A DATABASE	10
STEP 1: LOGIN TO CPANEL	10
STEP 2: ACCESS MYSQL.....	11
STEP 3: CREATE A DATABASE	12
STEP 4: CREATE A USER	14
STEP 5: ADD USER TO DATABASE	16
3. UPLOADING SCRIPT TO YOUR SERVER.....	19
4. RUNNING INSTALLATION WIZARD.....	25
STEP 1 OF 3: K-LINKS LICENSE AGREEMENT	25
STEP 2 OF 3: UNPACKAGING FILES AND APPLYING PERMISSION	26
STEP 3 OF 3: SETUP YOUR PRIMARY ADMINISTRATOR ACCOUNT AND MYSQL DATABASE	27
TROUBLESHOOTING	30
INTERNAL SERVER ERROR:	30
NOT ABLE TO ACCESS ANY PAGE:	30

System Requirements

- Apache or IIS web server
- mod_rewrite module loaded if using Apache
- Ability to set custom error 404 pages if using IIS
- PHP 4.2.0 or better
- MySQL 3.22 or better


Optional Requirements

- GD library available for PHP
- Ability to create and run crontab jobs

1. Downloading K-Links

Step 1: Login to your member account


- Use the following URL: <http://turn-k.net/login.html>



K-Links – Link Indexing Script

Step 2: Enter Domain Name

- Enter your domain name of the site K-Links will be opened on:




- Click **Save** when finished.

K-Links – Link Indexing Script

Step 3: Download k-links script


- Click on the **License Id** under k-Links to download k-links script




The screenshot shows a Microsoft Internet Explorer browser window displaying the TurnKey Websites website. The address bar shows <http://turn-k.net/index.php>. The website header includes the TurnKey logo and navigation links: Home, Products, Services, Support, Contact Us, and Client Login. A shopping basket icon indicates no items are present.

The main content area features a sidebar with navigation links: > K-Links, > K-Search, and > K-Rate. The central section is titled "Welcome!" and includes links for "Change Your E-mail or Password" and "Logout". Below this, the "Single Licenses" section displays two product listings for "K-Links".

The first listing is for the "Platinum Edition" with the following details:

- Product image: 
- Product name: K-Links
- Last updated: Oct 30, 2007
- Change log: [Change log >>](#)
- License ID: **2197-2055-1229476475**
- Domain: **seodevices.com**
- Updates Until: **Dec 16, 2009**
- Buttons: "Purchase Lifetime updates (\$45)" and "Upgrade to Unlimited License (\$428)"
- Link: [\(Instant Installation\)](#)

The second listing is for a standard edition with the following details:


- Product image: 
- License ID: **2198-2058-1229478417**
- Domain: **seodevices.com**
- Updates Until: **Dec 16, 2009**
- Buttons: "Purchase Lifetime updates (\$45)" and "Upgrade to Unlimited License (\$428)"

On the right side, a "What Our Clients Say" section features a testimonial from Stephen Ralph of Top-Affiliate.Com, praising the K-Links script. Below the testimonial is a "Showcase" button and a "Powered by K-Linkg:" section with a "Recommended Hosting" button.

K-Links – Link Indexing Script

Step 4: Save k-links script on your computer


- A window similar to this should appear:



- Choose to **save** the zip archive on your disk by clicking **Save**.

K-Links – Link Indexing Script


- Save the script file in any folder on your system



K-Links – Link Indexing Script

Step 5: Unzip files from k-links package


- To extract the script file downloaded you might use one of the file archive utilities such as WinRar® or WinZip®.
- **Note** – In case there are any other zip archives in the installation package – do not unpack them yourself. Installer will do it for you.



2. Creating a Database

Step 1: Login to cPanel


- Login to your website control panel
Typical URL: <http://www.yoursite/cpanel>



K-Links – Link Indexing Script

Step 2: Access MySQL


- Click on MySQL Databases on your cPanel screen



K-Links – Link Indexing Script


Step 3: Create a Database

- Enter a database name and then click **create database**
Example database name: links



K-Links – Link Indexing Script


- Click [Go Back] to create a user to that database



K-Links – Link Indexing Script


Step 4: Create a User

- Enter a username and password and click **create user**.
Example username: links and password: xxxxx



K-Links – Link Indexing Script


- Click [Go Back] to add the user to the database.



K-Links – Link Indexing Script


Step 5: Add User to Database

- Select user: [User Name] and database: [Database Name] and click on **Add User to Database**




K-Links – Link Indexing Script

- Click on **go back** to confirm that that user is added to the database



K-Links – Link Indexing Script

- After confirming that the user has been added and Connection string has been created to the database, logout.




3. Uploading Script to Your Server

- **Upload the extracted files to your server:**


To upload the extracted files, use one of the FTP utilities such as **FileZilla®** or **your control Panel**. The usual upload target would be **public_html** directory of your domain.

Open FileZilla, Click on File-->Site Manager, On the Site Manager, click on New Site and enter "Your Site Name" and Enter other information like the attached FTP image - Click on **Connect**.




K-Links – Link Indexing Script

- Navigate to the public_html directory




K-Links – Link Indexing Script

- If you would like to install the script on a separate links directory, create a directory under public_html




K-Links – Link Indexing Script

- Click on the unzipped k-links folder from the local site




K-Links – Link Indexing Script

- Select all files under unzipped folder and right click and select **upload..**



K-Links – Link Indexing Script


- All files will be uploaded to your public_html/[Directory Name] directory



4. Running Installation Wizard

Step 1 of 3: K-Links License Agreement

- To start the installation process, run **install.php** from your k-links directory through a web browser. For example, url: www.seodevices.com/links/install.php




- After carefully reading the license agreement, click on to **I agree to the license agreement** and then click **continue**.

K-Links – Link Indexing Script

Step 2 of 3: Unpacking Files and Applying Permission


- Click on **Continue**



K-Links – Link Indexing Script

Step 3 of 3: Setup Your Primary Administrator Account and MySQL Database

- **Step 22:** Step 3 is intended to create a site administrator's account and to enter MySQL database details. Database server is usually localhost. Enter the database name and password as created using the c-panel.
- When the fields have been filled out, just click the **Continue** button to complete the installation.



The screenshot shows a web browser window titled "K-Links Directory installer - Microsoft Internet Explorer". The address bar shows "http://www.seodevices.com/links/install.php". The main content area is titled "K-Links Directory installer" and contains the following form:

Step 3: Set up your primary administrator account and MySQL database

Administrator settings:

Admin user name	<input type="text" value="padma"/>
Admin password	<input type="password" value="....."/>
Confirm password	<input type="password" value="....."/>
Admin e-mail	<input type="text" value="padma@qsoft-inc.com"/>

Server settings:


Site URL address:	<input type="text" value="http://www.seodevices.com/ltr"/>
-------------------	--

Database settings:

MySQL database server	<input type="text" value="localhost"/>	usually localhost
Database name	<input type="text" value="seo_links"/>	
Database user name	<input type="text" value="seo_links"/>	
Database user password	<input type="password" value="....."/>	
Default table prefix	<input type="text" value="link_"/>	

K-Links – Link Indexing Script


- After the installation is complete, a successful installation message is displayed:
“K-Links has been installed successfully”.



- Click on login here to log into admin section. For information on Admin section, please refer to the k-links manual. For the k-links manual use the URL :
<http://turn-k.net/k-links/manual>

K-Links – Link Indexing Script

- After a successful completion of an installation, the k-links will run as



Troubleshooting

In some cases problems can occur even with this utterly simplified installation procedure and solutions to typical problems are listed below.

Internal server error:

- **Problem: After the second step is completed I only receive “Internal server error” message and cannot process any further.**

Solution: Apparently there's a problem with Apache mod_rewrite module. You should verify that it is installed. A temporary solution would be to remove the .htaccess file (which is located in your installation directory) or rename it to .htaccess_temp. Now you should refresh the page and be able to access the final step of installation wizard.

- **Problem: Installation is completed successfully but I only receive the “Internal server error message” when trying to access the site.**

Solution: CHMOD the following directories to 755:
installation root directory
/admin directory

And CHMOD these files to 644:

/download.php
/fastdl.php
/get.php
/give_banner.php
/index.php
/maintenance.php
/send_subscriptions.php
/visit.php
/admin/index.php
/admin/verify_session.php
/admin/includes/combobox.php
/includes/combobox.php

Not Able to Access any Page:

- **Problem: The installation seems to be completed fine but I cannot access any page other than homepage and admin area.**

K-Links – Link Indexing Script

Solution: Again the problem is related with the Apache mod_rewrite module. There are a couple of things that can be done:

1. Make sure that the K-Links .htaccess file is placed in installation directory. To be absolutely sure about this just take this file directly from the installation package (in case the .htaccess file is not included there take this file from the installdata_xxxxx.zip file which is included in the main install package) and upload the file to your web server.
2. If this didn't help you should now make sure that the Apache mod_rewrite module is at all loaded. If you have the rights to edit the Apache's httpd.conf file open this file in your favourite text editor and remove the # sign from the following line:

```
#LoadModule rewrite_module modules/mod_rewrite.so
```

Then save the httpd.conf and restart the server. If you don't have rights to edit this file (for example, you're using a shared hosting account), ask your hosting company to enable the mod_rewrite module on their server.

3. If this still didn't help you should verify that you can use the .htaccess files at all. Again, open the same httpd.conf file and make sure the following definitions can be found there:

```
# Each directory to which Apache has access can be configured with respect to which services and features are allowed and/or disabled in that directory (and its subdirectories).  
#  
# First, we configure the "default" to be a very restrictive set of features.  
#  
<Directory />  
Options FollowSymLinks  
AllowOverride All  
</Directory>
```

Also verify these definitions:

```
# The Options directive is both complicated and important. Please see # http://httpd.apache.org/docs-2.0/mod/core.html#options # for more information.  
#  
Options Indexes FollowSymLinks  
  
#  
# AllowOverride controls what directives may be placed in .htaccess files.
```

K-Links – Link Indexing Script

```
# It can be "All", "None", or any combination of the keywords:  
# Options FileInfo AuthConfig Limit  
#  
AllowOverride All
```

Again, save the httpd.conf and restart the webserver.

The solution for IIS users:

You should configure the IIS so that error 404 pages for K-Links installation domain are handled by the /index.php file. Once it is done K-Links should be working correctly.